Data distribution - Schemas - Benefits payment reports 2027

**Incomes Register Unit** 

# **Version history**

| Version  | Date   | Description   |
|--|--|---|
| 1.0  | 27/10/2025   | Published a version of the document containing the 2027 changes to data content. The changes apply when the payment date of the income is on 1 January 2027 or later.   |
| A new data element has been added to several different data groups the data subject. |  | A new data element has been added to several different data groups to indicate whether the information has been disputed by the data subject.   |
|  | <ul> <li>Reference data of the demand for rectification of personal data (De</li> <li>Disputes related to the report (ReportDisputes)</li> </ul> | The following new data groups have been added under section 2.14 Service data (ReportData):  • Reference data of the demand for rectification of personal data (DemandForRectificationIds)  • Disputes related to the report (ReportDisputes) |
|  |  | New data group Report's missing information (MissingData) has been added to section 2.38.   |

## **CONTENTS**

| 1 | G    | eneral  | . 5 |
|---|------|---|-----|
|   | 1.1  | Schema  | . 5 |
|   | 1.2  | Character set                                     | . 5 |
|   | 1.3  | Dates and times                                   | . 6 |
|   | 1.4  | Document reading instructions                     | . 7 |
| 2 | Ве   | enefits payment reports (BenefitReportsFromIR)    | . 8 |
|   | 2.1  | Record subscription details (Subscription)        | 12  |
|   | 2.2  | Query details (Query)                             | 14  |
|   | 2.3  | Query summary data (Summary)                      | 15  |
|   | 2.4  | Message-level errors (MessageErrors)              | 16  |
|   | 2.5  | Record-level errors (DeliveryErrors)              | 17  |
|   | 2.6  | Reports data (Reports)                            |     |
|   | 2.7  | Record data (DeliveryData)                        | 19  |
|   | 2.8  | Contact persons for the record (ContactPersons)   | 23  |
|   | 2.9  | Payer details (Payer)                             | 24  |
|   | 2.10 | Payer identifiers (Payerlds)                      | 25  |
|   |      | Basic payer details (PayerBasic)                  |     |
|   | 2.12 | Payer's address (Address)                         | 28  |
|   | 2.13 | Payer's suborganisations (SubOrgs)                | 30  |
|   | 2.14 | Service data (ReportData)                         | 31  |
|   | 2.15 | Income earner details (IncomeEarner)              | 33  |
|   | 2.16 | Income earner identifiers (IncomeEarnerIds)       | 34  |
|   |      | Basic income earner details (IncomeEarnerBasic)   |     |
|   |      | Income earner's address (Address)                 |     |
|   |      | International situations (InternationalData)      |     |
|   |      | Income types (Transactions)                       |     |
|   |      | General income type details (TransactionBasic)    |     |
|   |      | Earnings period (EarningPeriod)                   |     |
|   | 2.23 | Benefit unit (BenefitUnit)                        | 48  |
|   | 2.24 | Additional income type details (TransactionOther) | 49  |

| 2.25 Additional repayment details (RecoveryData)                    | 50 |
|---|----|
| 2.26 Additional recourse details (RecourseData)                     | 52 |
| 2.27 Insurance details (Insurance)                                  | 53 |
| 2.28 Policyholder's identifiers (InsurancePolicyHolderIds)          | 54 |
| 2.29 Basic policyholder details (InsurancePolicyHolderBasic)        | 56 |
| 2.30 Policyholder's address (Address)                               | 57 |
| 2.31 Deductions (Deductions)  | 60 |
| 2.32 Earnings period of original benefit (OrigBenefitEarningPeriod) | 62 |
| 2.33 Substitute recipient details (IncomeBeneficiary)               | 63 |
| 2.34 Substitute recipient identifiers (IncomeBeneficiaryIds)        | 64 |
| 2.35 Basic substitute recipient details (IncomeBeneficiaryBasic)    | 66 |
| 2.36 Substitute recipient's address (Address)                       | 68 |
| 2.37 Period of calculation (RemittancePeriod)                       | 71 |
| 2.38 Report's missing information (Missing Data)                    | 72 |

#### 1 GENERAL

#### 1.1 Schema

Benefits payment reports are delivered from the Incomes Register using the **BenefitReportsFromIR** schema.

The namespaces of the schema are the following:

| File name                      | Prefix       | Namespace  |
|--------------------------------|--------------|--|
|                                | xmlns:xs     | http://www.w3.org/2001/XMLSchema                             |
| BenefitReportsFromIR.xsd       | xmlns:brfir  | http://www.tulorekisteri.fi/2017/1/BenefitReportsFromIR      |
| BenefitReportsFromIRTypes. xsd | xmlns:brfirt | http://www.tulorekisteri.fi/2017/1/BenefitReportsFromIRTypes |
| StatusMessageTypes.xsd         | xmlns:smt    | http://www.tulorekisteri.fi/2017/1/StatusMessageTypes        |
| IRCommonTypes.xsd              | xmlns:irct   | http://www.tulorekisteri.fi/2017/1/IRCommonTypes             |
| xmldsig-core-schema.xsd        | xmlns:ds     | http://www.w3.org/2000/09/xmldsig#                           |

Data distributed from the Incomes Register is identical to that submitted to the Incomes Register. The data user's data access profile is taken into account in the distribution.

#### 1.2 Character set

The schemas of the Incomes Register use UTF-8, which is the default character set of XML. The file must not contain the Byte Order Mark (BOM) character.

The following table presents the requirements for the conversion of special characters appearing in messages.

| Character  | Description  | Presentation format as an entity                                |  |  |  |  |
|--|--------------|---|--|--|--|--|
| &  | ampersand    | & conversion is mandatory                                       |  |  |  |  |
| < less than < conversion is mandatory              |              | &It conversion is mandatory                                     |  |  |  |  |
| >  | greater than | > conversion is not mandatory, but conforms with best practices |  |  |  |  |
| i i i  |              | ' conversion is not mandatory, but conforms with best practices |  |  |  |  |
| " quotation mark " conversion is not mandatory, be |              | " conversion is not mandatory, but conforms with                |  |  |  |  |



| best practices  |                | best practices                                |
|---|----------------|---|
|   | double hyphen  | This character must not appear in an XML file |
| /*  | slash asterisk | This character must not appear in an XML file |
| &#</th><th>ampersand hash</th><th>This character must not appear in an XML file</th></tr></tbody></table> |                |   |

A limited character set is allowed for **reference data**. The allowed characters for the reference data listed below are the numbers 0-9, the letters a-z and A-Z and the symbols "\_" and "-".

- Record owner's record reference (DeliveryId)
- Payer's report reference (ReportId)
- Subscriber's primary subscription reference (MainSubscriptionId)
- Subscriber's secondary subscription reference (SubscriptionId)
- Sender's message reference (MessageId)
- Reference of the demand for rectification of personal data (DemandForRectificationId)

In the following data items, upper and lowercase characters are significant:

- Country codes in all data groups (for example, "DE" is interpreted to be a different code to "De").
- Customer identifiers in all data groups (for example, "150172-999H" is interpreted to be a different identifier to "150172-999h").

#### 1.3 Dates and times

Dates (data type xs:date) must not include time zone information. Example of a date:

<StartDate>2017-05-11</StartDate>

Data elements containing times of day (data types xs:dateTime and xs:time) must include the time zone.

Example in the Finnish time zone (standard time, UTC+2):

<Timestamp>2017-05-11T08:00:00+02:00</Timestamp>

<Time>08:00:00+02:00</Time>

Example in UTC time (UTC+0):

<Timestamp>2017-05-11T6:00:00Z</Timestamp>

<Time>06:00:00Z</Time>



#### 1.4 Document reading instructions

In the document diagrams, the  $0..\infty$  marking in the bottom right-hand corner of an element means that the element may appear several times or not at all. The  $1..\infty$  marking means that the element may appear several times, but it must always appear at least once. The mandatory elements are highlighted with a solid border line and voluntary elements with a dashed border line.

In the document tables, the mandatory or voluntary nature of the elements is depicted with the following markings:

| V/M | Description  |
|-----|--|
| V   | The element is always voluntary.  Data groups and data items marked as voluntary are included in the queried record if they contain data (data has been submitted in a report or it is data generated by the Incomes Register) and are included in the data access profile used to query the record. |
| М   | The element is always included if its "parent element" is included.  |

In some elements, messages use a limited range of values, i.e. codes. The possible values for these codes are described in the "Codes" and "Benefits – Codes – Income types" documents. This document refers to the values presented in the codesets using the term "codes".


# 2 BENEFITS PAYMENT REPORTS (BENEFITREPORTSFROMIR)

The general structure of a record containing benefits payment reports distributed from the Incomes Register is as follows:

| Data group name                                 | Туре                     | V/M |
|---|--------------------------|-----|
| Record subscription details (Subscription)      | brfirt:Subscription      | М   |
| Query details (Query)                           | brfirt:Query             | ٧   |
| Query summary data (Summary)                    | brfirt:Summary           | М   |
| Message-level errors (MessageErrors)            | smt:MessageErrors        | ٧   |
| Record-level errors (DeliveryErrors)            | smt:DeliveryErrors       | V   |
| Reports data (Reports)                          | brfirt:Reports           | V   |
| Report data (Report)                            | brfirt:Report            | М   |
| Record data (DeliveryData)                      | brfirt:DeliveryData      | М   |
| Contact persons for the record (ContactPersons) | brfirt:ContactPersons    | V   |
| Payer details (Payer)                           | brfirt:Payer             | V   |
| Payer identifiers (PayerIds)                    | brfirt:PayerIds          | V   |
| Basic payer details (PayerBasic)                | brfirt:PayerBasic        | V   |
| Payer's address (Address)                       | brfirt:Address           | V   |
| Payer's suborganisations (SubOrgs)              | brfirt:SubOrgs           | V   |
| Service data (ReportData)                       | brfirt:ReportData        | М   |
| Income earner details (IncomeEarner)            | brfirt:IncomeEarner      | V   |
| Income earner identifiers (IncomeEarnerIds)     | brfirt:IncomeEarnerIds   | V   |
| Basic income earner details (IncomeEarnerBasic) | brfirt:IncomeEarnerBasic | V   |
| Income earner's address (Address)               | brfirt:Address           | V   |
| International situations (InternationalData)    | brfirt:InternationalData | V   |
| Income types (Transactions)                     | brfirt:Transactions      | V   |
| Income type details (Transaction)               | brfirt:Transaction       | М   |
| General income type details (TransactionBasic)  | brfirt:TransactionBasic  | V   |
| Earnings period (EarningPeriod)                 | brfirt:EarningPeriod     | ٧   |




| Data group name                                   | Туре                    | V/M |
|---|-------------------------|-----|
| Benefit unit (BenefitUnit)                        | brfirt:BenefitUnit      | V   |
| Additional income type details (TransactionOther) | brfirt:TransactionOther | V   |
| Additional repayment details (RecoveryData)       | brfirt:RecoveryData     | V   |
| Additional recourse details (RecourseData)        | brfirt:RecourseData     | V   |
| Insurance details (Insurance)                     | brfirt:Insurance        | V   |
| Deductions (Deductions)                           | brfirt:Deductions       | V   |
| Report's missing information (MissingData)        | brfirt:MissingData      | V   |
| Signature (Signature)                             | xsig:SignatureType      | М   |



| Data designation                           | Туре                | Allowed values | V/M | Processing rule  |
|--|---------------------|----------------|-----|--|
| Record subscription details (Subscription) | brfirt:Subscription |                | М   | This data group is used to distribute information related to a record subscription or a service request.   |
| Query details (Query)                      | brfirt:Query        |                | V   | This data group is used to distribute information related to a query.  The data group will not appear in the response message to a real-time WS service call compliant with the DataRequestToIR schema if a message-level or record-level error is detected during the processing of the service call. |
| Query summary data (Summary)               | brfirt:Summary      |                | М   | This data group is used to distribute summary information related to a query.  |

| Data designation                     | Туре               | Allowed values | V/M | Processing rule   |
|--------------------------------------|--------------------|----------------|-----|---|
| Message-level errors (MessageErrors) | smt:MessageErrors  |                | V   | This data group can only appear in the response message to a real-time WS service call compliant with the DataRequestToIR schema. |
| Record-level errors (DeliveryErrors) | smt:DeliveryErrors |                | V   | This data group can only appear in the response message to a real-time WS service call compliant with the DataRequestToIR schema. |
| Reports data (Reports)               | brfirt:Reports     |                | V   | Benefits payment reports  |
| Signature (Signature)                | xsig:SignatureType |                | М   | The electronic signature of the record is delivered in this data group.   |


#### 2.1 Record subscription details (Subscription)



| Data designation   | Туре                | Allowed values                      | V/M | Processing rule  |
|--|---------------------|-------------------------------------|-----|--|
| Record subscription details (Subscription)                             | brfirt:Subscription |                                     | M   | This data group is used to distribute information related to a record subscription or a service request.   |
| Record type (QueryDataType)  | xs:int              | Codes:<br>QueryDataType             | M   | Data submitted in a record subscription or service request.  |
| Data access profile (QueryProfile)                                     | irct:String40       |                                     | ٧   | Data submitted in a record subscription or service request.  |
| Production environment (ProductionEnvironment)                         | irct:trueOrFalse    | Codes:<br>ProductionEnvironm<br>ent | M   | Data submitted in a record subscription or service request.  |
| Incomes Register primary subscription reference (IRMainSubscriptionId) | irct:Guid           |                                     | V   | The Incomes Register primary subscription reference for the primary subscription based on which the record was queried. The data is not included in the response message to a real-time WS service call compliant with the DataRequestToIR schema. |


| Data designation   | Туре          | Allowed values | V/M | Processing rule  |
|--|---------------|----------------|-----|--|
| Incomes Register secondary subscription reference (IRSubscriptionId) | irct:Guid     |                | V   | The Incomes Register secondary subscription reference for the secondary subscription based on which the record was queried. The data is not included in the response message to a real-time WS service call compliant with the DataRequestToIR schema. |
| Subscriber's primary subscription reference (MainSubscriptionId)     | irct:String40 |                | V   | The subscriber's primary subscription reference for the primary subscription based on which the record was queried.  The data is not included in the response message to a real-time WS service call compliant with the DataRequestToIR schema.        |
| Subscriber's secondary subscription reference (SubscriptionId)       | irct:String40 |                | V   | The subscriber's secondary subscription reference for the secondary subscription based on which the record was queried. The data is not included in the response message to a real-time WS service call compliant with the DataRequestToIR schema.     |

## 2.2 Query details (Query)




| Data designation   | Туре         | Allowed values | V/M | Processing rule   |
|--|--------------|----------------|-----|---|
| Query details (Query)  | brfirt:Query |                | V   | This data group is used to distribute information related to a query.   |
| Incomes Register query reference (IRQueryId)                   | irct:Guid    |                | M   | The reference assigned by the Incomes Register to the queried record. The reference uniquely identifies every record queried from the Incomes Register. |
| Query time (QueryTimestamp)                                    | xs:dateTime  |                | М   | The date and time when the record was queried.  |
| Start of the query time range for changes (QueryTimespanStart) | xs:dateTime  |                | М   | The record includes data changed since this date and time.  |
| End of the query time range for changes (QueryTimespanEnd)     | xs:dateTime  |                | М   | The record includes data changed up to this date and time (excluding end time).   |

## 2.3 Query summary data (Summary)




| Data designation                          | Туре           | Allowed values | V/M | Processing rule   |
|---|----------------|----------------|-----|---|
| Query summary data (Summary)              | brfirt:Summary |                | M   | This data group is used to distribute summary information related to a query. |
| The number of queried items (NrOfReports) | xs:int         |                | M   | The number of queried benefits payment reports.                               |

## 2.4 Message-level errors (MessageErrors)




| Data designation                      | Туре              | Allowed values | V/M | Processing rule  |
|---------------------------------------|-------------------|----------------|-----|--|
| Message-level errors (MessageErrors)  | smt:MessageErrors |                | V   | This data group is used to return technical and authorisation errors.  This data group can only appear in the response message to a real-time WS service call compliant with the DataRequestToIR |
|                                       |                   |                |     | schema.  |
| Error information (ErrorInfo)         | smt:ErrorInfo     |                | М   | There may be several errors.   |
| Error code (ErrorCode)                | irct:String20     |                | М   | The error code is returned in this element.  |
| Error code description (ErrorMessage) | irct:String500    |                | M   | A description of the error code is returned in this element.   |
| Error details (ErrorDetails)          | irct:String500    |                | V   | Allocation and identifying information for the error is returned in this element.  |

## 2.5 Record-level errors (DeliveryErrors)



| Data designation                      | Туре               | Allowed values | V/M | Processing rule  |
|---------------------------------------|--------------------|----------------|-----|--|
| Record-level errors (DeliveryErrors)  | smt:DeliveryErrors |                | V   | This data group is used to return errors related to the contents of record-level data.  This data group can only appear in the response message to a |
|                                       |                    |                |     | real-time WS service call compliant with the DataRequestToIR schema.   |
| Error information (ErrorInfo)         | smt:ErrorInfo      |                | М   | There may be several errors.   |
| Error code (ErrorCode)                | irct:String20      |                | М   | The error code is returned in this element.  |
| Error code description (ErrorMessage) | irct:String500     |                | M   | A description of the error code is returned in this element.   |
| Error details (ErrorDetails)          | irct:String500     |                | V   | Allocation and identifying information for the error is returned in this element.  |


## 2.6 Reports data (Reports)



| Data designation                           | Туре                    | Allowed values | V/M | Processing rule  |
|--|-------------------------|----------------|-----|--|
| Reports data (Reports)                     | brfirt:Reports          |                | V   | This data group is used to return the benefits payment reports queried to the record.  Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Report data (Report)                       | brfirt:Report           |                | М   | There may be several reports.  |
| Record data (DeliveryData)                 | brfirt:DeliveryData     |                | М   |  |
| Service data (ReportData)                  | brfirt:ReportData       |                | М   |  |
| Income earner details (IncomeEarner)       | brfirt:IncomeEarne<br>r |                | V   |  |
| Income types (Transactions)                | brfirt:Transactions     |                | V   |  |
| Report's missing information (MissingData) | brfirt:MissingData      |                | V   |  |



#### 2.7 Record data (DeliveryData)



| Data designation                    | Туре                | Allowed values | V/M | Processing rule   |
|-------------------------------------|---------------------|----------------|-----|---|
| Record data (DeliveryData)          | brfirt:DeliveryData |                | M   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Time of record creation (Timestamp) | xs:dateTime         |                | М   |   |

| Data designation   | Туре                | Allowed values  | V/M | Processing rule   |
|--|---------------------|---|-----|---|
| Data source (Source)                                       | irct:String30       |   | V   |   |
| Record owner's (payer's) record reference (Deliveryld)     | irct:String40       |   | V   |   |
| Incomes Register record reference (IRDeliveryId)           | irct:Guid           |   | M   |   |
| Record delivery channel (DeliveryToIRChannelCode)          | xs:int              | Codes: DeliveryToIRChannel Code                                     | V   |   |
| Date of payment or other report (PaymentDate)              | xs:date             |   | М   |   |
| Date of payment or other report denied (PaymentDateDenied) | xs:int              | Codes: DisputeStatus  | V   |   |
| Contact persons for the record (ContactPersons)            | brfirt:ContactPerso |   | V   |   |
| Payer details (Payer)                                      | brfirt:Payer        |   | V   |   |
| Record owner (DeliveryDataOwner)                           | brfirt:Id           |   | V   |   |
| Identifier type (Type)                                     | xs:int              | Codes: IdType   | V   |   |
| Identifier type denied (TypeDenied)                        | xs:int              | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Identifier (Code)  | irct:String30       |   | V   |   |
| Identifier denied (CodeDenied)                             | xs:int              | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country code (CountryCode)                                 | irct:String2        | A two-character code in accordance with the ISO 3166 country codes. | V   |   |




| Data designation                        | Туре          | Allowed values  | V/M | Processing rule   |
|---|---------------|---|-----|---|
|   |               | If the country is unknown, the value is "99".   |     |   |
| Country code denied (CountryCodeDenied) | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country name (CountryName)              | irct:String70 |   | V   |   |
| Country name denied (CountryNameDenied) | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Record creator (DeliveryDataCreator)    | brfirt:Id     |   | V   |   |
| Identifier type (Type)                  | xs:int        | Codes: IdType   | V   |   |
| Identifier type denied<br>(TypeDenied)  | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Identifier (Code)                       | irct:String30 |   | V   |   |
| Identifier denied (CodeDenied)          | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country code (CountryCode)              | irct:String2  | A two-character code in accordance with the ISO 3166 country codes. If the country is unknown, the value is "99". | V   |   |
| Country code denied (CountryCodeDenied) | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country name (CountryName)              | irct:String70 |   | V   |   |



| Data designation                           | Туре          | Allowed values  | V/M | Processing rule   |
|--|---------------|---|-----|---|
| Country name denied<br>(CountryNameDenied) | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Record submitter<br>(DeliveryDataSender)   | brfirt:Id     |   | V   |   |
| Identifier type (Type)                     | xs:int        | Codes: IdType   | V   |   |
| Identifier type denied<br>(TypeDenied)     | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Identifier (Code)                          | irct:String30 |   | V   |   |
| Identifier denied (CodeDenied)             | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country code (CountryCode)                 | irct:String2  | A two-character code in accordance with the ISO 3166 country codes. If the country is unknown, the value is "99". | V   |   |
| Country code denied (CountryCodeDenied)    | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country name (CountryName)                 | irct:String70 |   | V   |   |
| Country name denied (CountryNameDenied)    | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |




## 2.8 Contact persons for the record (ContactPersons)




| Data designation                                | Туре                      | Allowed values               | V/M | Processing rule   |
|---|---------------------------|------------------------------|-----|---|
| Contact persons for the record (ContactPersons) | brfirt:ContactPerso<br>ns |                              | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Contact person for the record (ContactPerson)   | brfirt:ContactPerso<br>n  |                              | М   | There may be several contact persons.   |
| Name (Name)                                     | irct:String200            |                              | V   |   |
| Telephone number (Telephone)                    | irct:String40             |                              | V   |   |
| E-mail address (Email)                          | irct:String70             |                              | V   |   |
| Field of responsibility (ResponsibilityCode)    | xs:int                    | Codes:<br>ResponsibilityCode | V   |   |

## 2.9 Payer details (Payer)



| Data designation                   | Туре              | Allowed values | V/M | Processing rule   |
|------------------------------------|-------------------|----------------|-----|---|
| Payer details (Payer)              | brfirt:Payer      |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Payer identifiers (Payerlds)       | brfirt:PayerIds   |                | V   |   |
| Basic payer details (PayerBasic)   | brfirt:PayerBasic |                | V   |   |
| Payer's address (Address)          | brfirt:Address    |                | V   |   |
| Payer's suborganisations (SubOrgs) | brfirt:SubOrgs    |                | V   |   |

## 2.10 Payer identifiers (Payerlds)




| Data designation             | Туре            | Allowed values | V/M | Processing rule   |
|------------------------------|-----------------|----------------|-----|---|
| Payer identifiers (PayerIds) | brfirt:PayerIds |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Payer's identifier (Id)      | brfirt:Id       |                | М   | A payer can have up to three identifiers.   |




| Data designation                                    | Туре          | Allowed values  | V/M | Processing rule |
|---|---------------|---|-----|-----------------|
| Benefit payer's identifier type<br>(Type)           | xs:int        | Codes:<br>BenefitPayerIdType  | V   |                 |
| Benefit payer's identifier type denied (TypeDenied) | xs:int        | Codes: DisputeStatus  | V   |                 |
| Identifier (Code)                                   | irct:String30 |   | V   |                 |
| Identifier denied (CodeDenied)                      | xs:int        | Codes: DisputeStatus  | V   |                 |
| Country code (CountryCode)                          | irct:String2  | A two-character code in accordance with the ISO 3166 country codes. If the country is unknown, the value is "99". | V   |                 |
| Country code denied (CountryCodeDenied)             | xs:int        | Codes: DisputeStatus  | V   |                 |
| Country name (CountryName)                          | irct:String70 |   | V   |                 |
| Country name denied (CountryNameDenied)             | xs:int        | Codes: DisputeStatus  | V   |                 |

## 2.11 Basic payer details (PayerBasic)



| Data designation                        | Туре              | Allowed values       | V/M | Processing rule   |
|---|-------------------|----------------------|-----|---|
| Basic payer details (PayerBasic)        | brfirt:PayerBasic |                      | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Company name (CompanyName)              | irct:String200    |                      | М   |   |
| Company name denied (CompanyNameDenied) | xs:int            | Codes: DisputeStatus | V   |   |


#### 2.12 Payer's address (Address)



| Data designation                         | Туре           | Allowed values  | V/M | Processing rule   |
|--|----------------|---|-----|---|
| Payer's address (Address)                | brfirt:Address |   | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| c/o (Co)                                 | irct:String70  |   | V   |   |
| c/o denied (CoDenied)                    | xs:int         | Codes: DisputeStatus  | V   |   |
| Street address (Street)                  | irct:String100 |   | V   |   |
| Street address denied (StreetDenied)     | xs:int         | Codes: DisputeStatus  | V   |   |
| P.O. Box (POBox)                         | irct:String10  |   | V   |   |
| P. O. Box denied (POBoxDenied)           | xs:int         | Codes: DisputeStatus  | V   |   |
| Postal code (PostalCode)                 | irct:String20  |   | V   |   |
| Postal code denied<br>(PostalCodeDenied) | xs:int         | Codes: DisputeStatus  | V   |   |
| City (PostOffice)                        | irct:String200 |   | V   |   |
| City denied (PostOfficeDenied)           | xs:int         | Codes: DisputeStatus  | V   |   |
| Country code (CountryCode)               | irct:String2   | A two-character code in accordance with the ISO 3166 country codes. If the country is unknown, the value is "99". | V   |   |
| Country code denied (CountryCodeDenied)  | xs:int         | Codes: DisputeStatus  | V   |   |
| Country name (CountryName)               | irct:String70  |   | V   |   |
| Country name denied (CountryNameDenied)  | xs:int         | Codes: DisputeStatus  | V   |   |




## 2.13 Payer's suborganisations (SubOrgs)



| Data designation  | Туре           | Allowed values                 | V/M | Processing rule   |
|---|----------------|--------------------------------|-----|---|
| Payer's suborganisations (SubOrgs)                        | brfirt:SubOrgs |                                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Payer's suborganisation (SubOrg)                          | brfirt:SubOrg  |                                | М   | A payer can have several suborganisations.  |
| Identifier type of benefit payer's suborganisation (Type) | xs:int         | Codes: BenefitPayerSubOrg Type | V   |   |
| Suborganisation identifier (Code)                         | irct:String20  |                                | V   |   |

#### 2.14 Service data (ReportData)




| Data designation                               | Туре              | Allowed values | V/M | Processing rule   |
|--|-------------------|----------------|-----|---|
| Service data (ReportData)                      | brfirt:ReportData |                | М   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Incomes Register report reference (IRReportId) | irct:Guid         |                | M   |   |



| Data designation  | Туре                                 | Allowed values      | V/M | Processing rule  |
|---|--------------------------------------|---------------------|-----|--|
| Payer's report reference (ReportId)   | irct:String40                        |                     | V   |  |
| Report status (ReportStatus)  | xs:int                               | Codes: ReportStatus | М   |  |
| Report version number (ReportVersion)   | xs:int                               |                     | М   |  |
| Reference data of the demand for rectification of personal data (DemandForRectificationIds) | brfirt:DemandForR<br>ectificationIds |                     | V   | The information is never distributed to the data user organization.  |
| Reference of the demand for rectification of personal data (DemandForRectificationId)       | irct:String40                        |                     | M   | There may be several references of the demand for rectification of personal data.  |
| Disputes related to the report (ReportDisputes)   | brfirt:ReportDisput<br>es            |                     | V   | The data group will indicate if the report is subject to different types of disputes.  |
| Valid dispute (ValidDispute)  | irct:true                            | "true"              | V   | The data item is returned if any version of the report includes data disputed by the data subject or reported as missing, with a status of 'Valid'.  |
| Disputed data that has been modified by the payer (DisputeChangedByPayer)                   | irct:true                            | "true"              | V   | The data item is returned if any version of the report includes data disputed by the data subject or reported as missing, with a status of "Amendment to the disputed information by the payer". |
| Disputed data that has been corrected by the Incomes Register (DisputeResolvedByIR)         | irct:true                            | "true"              | V   | The data item is returned if any version of the report includes data disputed by the data subject or reported as missing, with a status of "Information rectified by the Incomes Register".      |
| Reception timestamp of the first version of the report (ReceivedTimestamp)                  | xs:dateTime                          |                     | M   | The date and time when the first version of the report was received by the Incomes Register.   |
| Report version creation timestamp (CreatedTimestamp)  | xs:dateTime                          |                     | V   | The date and time when the report version has been saved in the Incomes Register.  |
| Report version reception timestamp (VersionReceivedTimestamp)                               | xs:dateTime                          |                     | V   | The date and time when the report version was received by the Incomes Register.  |




## 2.15 Income earner details (IncomeEarner)



| Data designation                                | Туре                         | Allowed values | V/M | Processing rule   |
|---|------------------------------|----------------|-----|---|
| Income earner details (IncomeEarner)            | brfirt:IncomeEarne<br>r      |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Income earner identifiers (IncomeEarnerIds)     | brfirt:IncomeEarne rlds      |                | V   |   |
| Basic income earner details (IncomeEarnerBasic) | brfirt:IncomeEarne<br>rBasic |                | V   |   |
| Income earner's address (Address)               | brfirt:Address               |                | ٧   |   |
| International situations (InternationalData)    | brfirt:International<br>Data |                | V   |   |

## 2.16 Income earner identifiers (IncomeEarnerIds)




| Data designation                            | Туре                       | Allowed values                    | V/M | Processing rule   |
|---|----------------------------|-----------------------------------|-----|---|
| Income earner identifiers (IncomeEarnerIds) | brfirt:IncomeEarne<br>rlds |                                   | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Income earner identifier (Id)               | brfirt:ld                  |                                   | М   | An income earner can have several identifiers.  |
| Benefit recipient's identifier type (Type)  | xs:int                     | Codes: BenefitIncomeEarnerId Type | V   |   |



| Data designation  | Туре          | Allowed values  | V/M | Processing rule |
|---|---------------|---|-----|-----------------|
| Benefit recipient's identifier type denied (TypeDenied) | xs:int        | Codes: DisputeStatus  | V   |                 |
| Identifier (Code)                                       | irct:String30 |   | V   |                 |
| Identifier denied (CodeDenied)                          | xs:int        | Codes: DisputeStatus  | V   |                 |
| Country code (CountryCode)                              | irct:String2  | A two-character code in accordance with the ISO 3166 country codes. If the country is unknown, the value is "99". | V   |                 |
| Country code denied (CountryCodeDenied)                 | xs:int        | Codes: DisputeStatus  | V   |                 |
| Country name (CountryName)                              | irct:String70 |   | V   |                 |
| Country name denied (CountryNameDenied)                 | xs:int        | Codes: DisputeStatus  | V   |                 |

#### 2.17 Basic income earner details (IncomeEarnerBasic)



| Data designation  | Туре                         | Allowed values | V/M | Processing rule   |
|---|------------------------------|----------------|-----|---|
| Basic income earner details (IncomeEarnerBasic)                   | brfirt:IncomeEarne<br>rBasic |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| The income earner does not have a customer identifier (MissingId) | irct:true                    | "true"         | V   |   |



| Data designation   | Туре           | Allowed values       | V/M | Processing rule |
|--|----------------|----------------------|-----|-----------------|
| The income earner does not have a customer identifier denied (MissingldDenied) | xs:int         | Codes: DisputeStatus | V   |                 |
| Company name (CompanyName)   | irct:String200 |                      | V   |                 |
| Company name denied (CompanyNameDenied)  | xs:int         | Codes: DisputeStatus | V   |                 |
| Last name (LastName)   | irct:String200 |                      | ٧   |                 |
| Last name denied (LastNameDenied)  | xs:int         | Codes: DisputeStatus | ٧   |                 |
| First name (FirstName)   | irct:String100 |                      | ٧   |                 |
| First name denied (FirstNameDenied)  | xs:int         | Codes: DisputeStatus | ٧   |                 |
| Date of birth (BirthDate)  | xs:date        |                      | ٧   |                 |
| Date of birth denied<br>(BirthDateDenied)                                      | xs:int         | Codes: DisputeStatus | V   |                 |
| Gender (Gender)  | xs:int         | Codes: Gender        | ٧   |                 |
| Gender denied (GenderDenied)   | xs:int         | Codes: DisputeStatus | ٧   |                 |


#### 2.18 Income earner's address (Address)



| Data designation                           | Туре           | Allowed values  | V/M | Processing rule  |
|--|----------------|---|-----|--|
| Income earner's address (Address)          | brfirt:Address |   | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. Address information under an access restriction to personal data will not be shared. |
| c/o (Co)                                   | irct:String70  |   | V   |  |
| c/o denied (CoDenied)                      | xs:int         | Codes: DisputeStatus  | V   |  |
| Street address (Street)                    | irct:String100 |   | V   |  |
| Street address denied (StreetDenied)       | xs:int         | Codes: DisputeStatus  | V   |  |
| P.O. Box (POBox)                           | irct:String10  |   | V   |  |
| P.O. Box denied (POBoxDenied)              | xs:int         | Codes: DisputeStatus  | V   |  |
| Postal code (PostalCode)                   | irct:String20  |   | V   |  |
| Postal code denied<br>(PostalCodeDenied)   | xs:int         | Codes: DisputeStatus  | V   |  |
| City (PostOffice)                          | irct:String200 |   | V   |  |
| City denied (PostOfficeDenied)             | xs:int         | Codes: DisputeStatus  | V   |  |
| Country code (CountryCode)                 | irct:String2   | A two-character code in accordance with the ISO 3166 country codes. If the country is unknown, the value is "99". | V   |  |
| Country code denied (CountryCodeDenied)    | xs:int         | Codes: DisputeStatus  | V   |  |
| Country name (CountryName)                 | irct:String70  |   | V   |  |
| Country name denied<br>(CountryNameDenied) | xs:int         | Codes: DisputeStatus  | V   |  |



#### 2.19 International situations (InternationalData)




| Data designation  | Туре                         | Allowed values  | V/M | Processing rule   |
|---|------------------------------|---|-----|---|
| International situations (International Data)                 | brfirt:International<br>Data |   | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Non-resident taxpayer (NonResident)                           | irct:true                    | "true"  | V   |   |
| Non-resident taxpayer denied (NonResidentDenied)              | xs:int                       | Codes: DisputeStatus  | V   |   |
| Country code of country of residence (NonResidentCountryCode) | irct:String2                 | A two-character code in accordance with the ISO 3166 country codes. | V   |   |



| Data designation   | Туре          | Allowed values                                | V/M | Processing rule |
|--|---------------|---|-----|-----------------|
|  |               | If the country is unknown, the value is "99". |     |                 |
| Country code of country of residence denied (NonResidentCountryCodeDenied) | xs:int        | Codes: DisputeStatus                          | V   |                 |
| Name of country of residence (NonResidentCountryName)                      | irct:String70 |   | V   |                 |
| Name of country of residence denied (NonResidentCountryNameDenied)         | xs:int        | Codes: DisputeStatus                          | V   |                 |
| Income subject to withholding (SubToWithhold)                              | irct:true     | "true"  | V   |                 |
| Income subject to withholding denied (SubToWithholdDenied)                 | xs:int        | Codes: DisputeStatus                          | V   |                 |

### 2.20 Income types (Transactions)




| Data designation                               | Туре                     | Allowed values | V/M | Processing rule   |
|--|--------------------------|----------------|-----|---|
| Income types (Transactions)                    | brfirt:Transactions      |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Income type details (Transaction)              | brfirt:Transaction       |                | М   | There may be several income types.  |
| General income type details (TransactionBasic) | brfirt:TransactionB asic |                | V   |   |
| Earnings period (EarningPeriod)                | brfirt:EarningPerio<br>d |                | V   |   |
| Benefit unit (BenefitUnit)                     | brfirt:BenefitUnit       |                | V   |   |



| Data designation                                  | Туре                        | Allowed values | V/M | Processing rule |
|---|-----------------------------|----------------|-----|-----------------|
| Additional income type details (TransactionOther) | brfirt:TransactionO<br>ther |                | V   |                 |
| Additional repayment details (RecoveryData)       | brfirt:RecoveryData         |                | V   |                 |
| Additional recourse details (RecourseData)        | brfirt:RecourseData         |                | V   |                 |
| Insurance details (Insurance)                     | brfirt:Insurance            |                | V   |                 |
| Deductions (Deductions)                           | brfirt:Deductions           |                | V   |                 |

#### 2.21 General income type details (TransactionBasic)




| Data designation  | Туре                        | Allowed values                 | V/M | Processing rule   |
|---|-----------------------------|--------------------------------|-----|---|
| General income type details (TransactionBasic)                                      | brfirt:TransactionB<br>asic |                                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Income type code (TransactionCode)  | xs:int                      | Codes: BenefitTransactionC ode | V   |   |
| Income type code denied (TransactionCodeDenied)                                     | xs:int                      | Codes: DisputeStatus           | V   |   |
| Income type changed, new income type code (RetroactiveTransactionCode)              | xs:int                      | Codes: BenefitTransactionC ode | V   | The technical numerical sequence 9999 is returned in this element when the income type code cannot be distributed.  |
| Income type changed, new income type code denied (RetroactiveTransactionCodeDenied) | xs:int                      | Codes: DisputeStatus           | V   |   |
| Amount (Amount)   | irct:decimal2               |                                | V   |   |
| Amount denied (AmountDenied)  | xs:int                      | Codes: DisputeStatus           | V   |   |
| Taxability of benefit (TaxTreatment)  | xs:int                      | Codes:<br>BenefitTaxTreatment  | V   |   |
| Taxability of benefit denied (TaxTreatmentDenied)                                   | xs:int                      | Codes: DisputeStatus           | V   |   |
| One-off remuneration (OneOff)   | irct:true                   | "true"                         | V   |   |
| One-off remuneration denied (OneOffDenied)  | xs:int                      | Codes: DisputeStatus           | V   |   |
| Unjust enrichment<br>(UnjustEnrichment)   | irct:true                   | "true"                         | V   |   |
| Unjust enrichment denied (UnjustEnrichmentDenied)                                   | xs:int                      | Codes: DisputeStatus           | V   |   |




| Data designation  | Туре      | Allowed values       | V/M | Processing rule |
|---|-----------|----------------------|-----|-----------------|
| Recovery (Recovery)                                     | irct:true | "true"               | V   |                 |
| Recovery denied (RecoveryDenied)                        | xs:int    | Codes: DisputeStatus | V   |                 |
| Unprompted refund<br>(UnpromptedRefund)                 | irct:true | "true"               | V   |                 |
| Unprompted refund denied (UnpromptedRefundDenied)       | xs:int    | Codes: DisputeStatus | V   |                 |
| Late payment increase (DelayIncrease)                   | irct:true | "true"               | V   |                 |
| Late payment increase denied (DelayIncreaseDenied)      | xs:int    | Codes: DisputeStatus | V   |                 |
| Recourse (Recourse)                                     | irct:true | "true"               | V   |                 |
| Recourse denied (RecourseDenied)                        | xs:int    | Codes: DisputeStatus | V   |                 |
| Payment reallocation (PaymentReallocation)              | irct:true | "true"               | V   |                 |
| Payment reallocation denied (PaymentReallocationDenied) | xs:int    | Codes: DisputeStatus | V   |                 |
| No effect on taxation (NoTaxEffect)                     | irct:true | "true"               | V   |                 |
| No effect on taxation denied (NoTaxEffectDenied)        | xs:int    | Codes: DisputeStatus | V   |                 |

# 2.22 Earnings period (EarningPeriod)




| Data designation                    | Туре                     | Allowed values       | V/M | Processing rule   |
|-------------------------------------|--------------------------|----------------------|-----|---|
| Earnings period (EarningPeriod)     | brfirt:EarningPerio<br>d |                      | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Start date (StartDate)              | xs:date                  |                      | V   |   |
| Start date denied (StartDateDenied) | xs:int                   | Codes: DisputeStatus | V   |   |
| End date (EndDate)                  | xs:date                  |                      | V   |   |
| End date denied (EndDateDenied)     | xs:int                   | Codes: DisputeStatus | V   |   |

# 2.23 Benefit unit (BenefitUnit)




| Data designation                          | Туре               | Allowed values            | V/M | Processing rule   |
|---|--------------------|---------------------------|-----|---|
| Benefit unit (BenefitUnit)                | brfirt:BenefitUnit |                           | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Unit (UnitCode)                           | xs:int             | Codes:<br>BenefitUnitCode | V   |   |
| Unit denied (UnitCodeDenied)              | xs:int             | Codes: DisputeStatus      | V   |   |
| Number of units (UnitAmount)              | irct:decimal2      |                           | V   |   |
| Number of units denied (UnitAmountDenied) | xs:int             | Codes: DisputeStatus      | V   |   |

# 2.24 Additional income type details (TransactionOther)



| Data designation  | Туре                        | Allowed values                        | V/M | Processing rule   |
|---|-----------------------------|---------------------------------------|-----|---|
| Additional income type details (TransactionOther)   | brfirt:TransactionOth<br>er |                                       | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Grounds for pension paid to a non-<br>resident taxpayer<br>(NonresidentPensionBasis)              | xs:int                      | Codes:<br>NonresidentPensio<br>nBasis | M   |   |
| Grounds for pension paid to a non-<br>resident taxpayer denied<br>(NonresidentPensionBasisDenied) | xs:int                      | Codes:<br>DisputeStatus               | V   |   |

#### 2.25 Additional repayment details (RecoveryData)




| Data designation                            | Туре                | Allowed values | V/M | Processing rule   |
|---|---------------------|----------------|-----|---|
| Additional repayment details (RecoveryData) | brfirt:RecoveryData |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |



| Data designation  | Туре                         | Allowed values       | V/M | Processing rule |
|---|------------------------------|----------------------|-----|-----------------|
| Repayment date (RecoveryDate)                               | xs:date                      |                      | V   |                 |
| Repayment date denied (RecoveryDateDenied)                  | xs:int                       | Codes: DisputeStatus | V   |                 |
| Withholding from the repayment (Withhold)                   | irct:decimal2                |                      | V   |                 |
| Withholding from the repayment denied (WithholdDenied)      | xs:int                       | Codes: DisputeStatus | V   |                 |
| Tax at source from the repayment (TaxAtSource)              | irct:decimal2                |                      | V   |                 |
| Tax at source from the repayment denied (TaxAtSourceDenied) | xs:int                       | Codes: DisputeStatus | V   |                 |
| Original payment period (OrigEarningPeriod)                 | brfirt:OrigEarningP<br>eriod |                      | V   |                 |
| Date of payment or other report (PaymentDate)               | xs:date                      |                      | V   |                 |
| Date of payment or other report denied (PaymentDateDenied)  | xs:int                       | Codes: DisputeStatus | V   |                 |
| Start date (StartDate)                                      | xs:date                      |                      | V   |                 |
| Start date denied<br>(StartDateDenied)                      | xs:int                       | Codes: DisputeStatus | V   |                 |
| End date (EndDate)  | xs:date                      |                      | V   |                 |
| End date denied (EndDateDenied)                             | xs:int                       | Codes: DisputeStatus | V   |                 |




# 2.26 Additional recourse details (RecourseData)




| Data designation   | Туре                | Allowed values       | V/M | Processing rule   |
|--|---------------------|----------------------|-----|---|
| Additional recourse details (RecourseData)                                       | brfirt:RecourseData |                      | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Recourse from tax-exempt income, payment date (RecoursePaymentDate)              | xs:date             |                      | M   |   |
| Recourse from tax-exempt income, payment date denied (RecoursePaymentDateDenied) | xs:int              | Codes: DisputeStatus | V   |   |

### 2.27 Insurance details (Insurance)



| Data designation  | Туре                                  | Allowed values | V/M | Processing rule   |
|---|---------------------------------------|----------------|-----|---|
| Insurance details (Insurance)                           | brfirt:Insurance                      |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Policy number or other identifier (InsuranceNo)         | irct:String20                         |                | V   |   |
| Policyholder details (InsurancePolicyHolder)            | brfirt:InsurancePoli<br>cyHolder      |                | V   |   |
| Policyholder's identifiers (InsurancePolicyHolderIds)   | brfirt:InsurancePoli<br>cyHolderIds   |                | V   |   |
| Basic policyholder details (InsurancePolicyHolderBasic) | brfirt:InsurancePoli<br>cyHolderBasic |                | V   |   |
| Policyholder's address (Address)                        | brfirt:Address                        |                | V   |   |

### 2.28 Policyholder's identifiers (InsurancePolicyHolderIds)




| Data designation   | Туре                                | Allowed values       | V/M | Processing rule   |
|--|-------------------------------------|----------------------|-----|---|
| Policyholder's identifiers<br>(InsurancePolicyHolderIds) | brfirt:InsurancePoli<br>cyHolderIds |                      | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Policyholder's identifier (Id)                           | brfirt:Id                           |                      | М   | A policyholder can have several identifiers.  |
| Identifier type (Type)                                   | xs:int                              | Codes: IdType        | V   |   |
| Identifier type denied<br>(TypeDenied)                   | xs:int                              | Codes: DisputeStatus | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.                               |
| Identifier (Code)  | irct:String30                       |                      | V   |   |



| Data designation                        | Туре          | Allowed values  | V/M | Processing rule   |
|---|---------------|---|-----|---|
| Identifier denied (CodeDenied)          | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country code (CountryCode)              | irct:String2  | A two-character code in accordance with the ISO 3166 country codes. If the country is unknown, the value "99" is entered. | V   |   |
| Country code denied (CountryCodeDenied) | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country name (CountryName)              | irct:String70 |   | V   |   |
| Country name denied (CountryNameDenied) | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |

### 2.29 Basic policyholder details (InsurancePolicyHolderBasic)



| Data designation   | Туре                                  | Allowed values | V/M | Processing rule   |
|--|---------------------------------------|----------------|-----|---|
| Basic policyholder details<br>(InsurancePolicyHolderBasic)       | brfirt:InsurancePoli<br>cyHolderBasic |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| The policyholder does not have a customer identifier (MissingId) | irct:true                             | "true"         | V   |   |
| Company name (CompanyName)                                       | irct:String200                        |                | V   |   |
| Last name (LastName)   | irct:String200                        |                | V   |   |
| First name (FirstName)   | irct:String100                        |                | V   |   |
| Date of birth (BirthDate)  | xs:date                               |                | V   |   |
| Gender (Gender)  | xs:int                                | Codes: Gender  | V   |   |

#### 2.30 Policyholder's address (Address)




| Data designation                         | Туре           | Allowed values                     | V/M | Processing rule  |
|--|----------------|------------------------------------|-----|--|
| Policyholder's address (Address)         | brfirt:Address |                                    | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. Address information under an access restriction to personal data will not be shared. |
| c/o (Co)                                 | irct:String70  |                                    | V   |  |
| c/o denied (CoDenied)                    | xs:int         | Codes: DisputeStatus               | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.  |
| Street address (Street)                  | irct:String100 |                                    | V   |  |
| Street address denied (StreetDenied)     | xs:int         | Codes: DisputeStatus               | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.  |
| P.O. Box (POBox)                         | irct:String10  |                                    | V   |  |
| P.O. Box denied (POBoxDenied)            | xs:int         | Codes: DisputeStatus               | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.  |
| Postal code (PostalCode)                 | irct:String20  |                                    | V   |  |
| Postal code denied<br>(PostalCodeDenied) | xs:int         | Codes: DisputeStatus               | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.  |
| City (PostOffice)                        | irct:String200 |                                    | V   |  |
| City denied (PostOfficeDenied)           | xs:int         | Codes: DisputeStatus               | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.  |
| Country code (CountryCode)               | irct:String2   | A two-character code in accordance | V   |  |



| Data designation                           | Туре          | Allowed values   | V/M | Processing rule   |
|--|---------------|--|-----|---|
|  |               | with the ISO 3166 country codes. If the country is unknown, the value "99" is entered. |     |   |
| Country code denied<br>(CountryCodeDenied) | xs:int        | Codes: DisputeStatus   | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country name (CountryName)                 | irct:String70 |  | V   |   |
| Country name denied (CountryNameDenied)    | xs:int        | Codes: DisputeStatus   | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |

#### 2.31 Deductions (Deductions)




| Data designation                                      | Туре              | Allowed values                 | V/M | Processing rule   |
|---|-------------------|--------------------------------|-----|---|
| Deductions (Deductions)                               | brfirt:Deductions |                                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Deduction details (Deduction)                         | brfirt:Deduction  |                                | М   | There may be several deductions.  |
| Deduction income type code (DeductionTransactionCode) | xs:int            | Codes: BenefitTransactionC ode | V   |   |




| Data designation  | Туре                                | Allowed values          | V/M | Processing rule |
|---|-------------------------------------|-------------------------|-----|-----------------|
| Deduction income type code denied (DeductionTransactionCodeDenied ) | xs:int                              | Codes: DisputeStatus    | V   |                 |
| Type of deduction (DeductionType)                                   | xs:int                              | Codes:<br>DeductionType | V   |                 |
| Type of deduction denied (DeductionTypeDenied)                      | xs:int                              | Codes: DisputeStatus    | V   |                 |
| Amount of deduction (Amount)  | irct:decimal2                       |                         | V   |                 |
| Amount of deduction denied (AmountDenied)                           | xs:int                              | Codes: DisputeStatus    | V   |                 |
| Earnings period of original benefit (OrigBenefitEarningPeriod)      | brfirt:OrigBenefitEa<br>rningPeriod |                         | V   |                 |
| Substitute recipient details (IncomeBeneficiary)                    | brfirt:IncomeBenefi<br>ciary        |                         | V   |                 |
| Period of calculation (RemittancePeriod)                            | brfirt:RemittancePe<br>riod         |                         | V   |                 |

### 2.32 Earnings period of original benefit (OrigBenefitEarningPeriod)




| Data designation   | Туре                                | Allowed values       | V/M | Processing rule   |
|--|-------------------------------------|----------------------|-----|---|
| Earnings period of original benefit (OrigBenefitEarningPeriod) | brfirt:OrigBenefitEa<br>rningPeriod |                      | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Date of payment or other report (PaymentDate)                  | xs:date                             |                      | V   |   |
| Date of payment or other report denied (PaymentDateDenied)     | xs:int                              | Codes: DisputeStatus | V   |   |
| Start date (StartDate)   | xs:date                             |                      | ٧   |   |
| Start date denied (StartDateDenied)                            | xs:int                              | Codes: DisputeStatus | ٧   |   |
| End date (EndDate)   | xs:date                             |                      | V   |   |
| End date denied (EndDateDenied)                                | xs:int                              | Codes: DisputeStatus | V   |   |

# 2.33 Substitute recipient details (IncomeBeneficiary)



| Data designation  | Туре                              | Allowed values | V/M | Processing rule   |
|---|-----------------------------------|----------------|-----|---|
| Substitute recipient details (IncomeBeneficiary)            | brfirt:IncomeBenefi<br>ciary      |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Substitute recipient identifiers (IncomeBeneficiaryIds)     | brfirt:IncomeBenefi<br>ciaryIds   |                | V   |   |
| Basic substitute recipient details (IncomeBeneficiaryBasic) | brfirt:IncomeBenefi<br>ciaryBasic |                | V   |   |
| Substitute recipient's address (Address)                    | brfirt:Address                    |                | V   |   |

### 2.34 Substitute recipient identifiers (IncomeBeneficiaryIds)




| Data designation  | Туре                            | Allowed values       | V/M | Processing rule   |
|---|---------------------------------|----------------------|-----|---|
| Substitute recipient identifiers (IncomeBeneficiaryIds) | brfirt:IncomeBenefi<br>ciaryIds |                      | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Substitute recipient identifier (Id)                    | brfirt:Id                       |                      | М   | A substitute recipient can have several identifiers.  |
| Identifier type (Type)                                  | xs:int                          | Codes: IdType        | V   |   |
| Identifier type denied<br>(TypeDenied)                  | xs:int                          | Codes: DisputeStatus | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.                               |
| Identifier (Code)                                       | irct:String30                   |                      | ٧   |   |



| Data designation                        | Туре          | Allowed values  | V/M | Processing rule   |
|---|---------------|---|-----|---|
| Identifier denied (CodeDenied)          | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country code (CountryCode)              | irct:String2  | A two-character code in accordance with the ISO 3166 country codes. If the country is unknown, the value "99" is entered. | V   |   |
| Country code denied (CountryCodeDenied) | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country name (CountryName)              | irct:String70 |   | V   |   |
| Country name denied (CountryNameDenied) | xs:int        | Codes: DisputeStatus  | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |

### 2.35 Basic substitute recipient details (IncomeBeneficiaryBasic)



| Data designation   | Туре                              | Allowed values | V/M | Processing rule   |
|--|-----------------------------------|----------------|-----|---|
| Basic substitute recipient details (IncomeBeneficiaryBasic)              | brfirt:IncomeBenefi<br>ciaryBasic |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| The substitute recipient does not have a customer identifier (MissingId) | irct:true                         | "true"         | V   |   |
| Company name (CompanyName)   | irct:String200                    |                | V   |   |
| Last name (LastName)   | irct:String200                    |                | ٧   |   |
| First name (FirstName)   | irct:String100                    |                | ٧   |   |
| Date of birth (BirthDate)  | xs:date                           |                | ٧   |   |
| Gender (Gender)  | xs:int                            | Codes: Gender  | ٧   |   |

| Data designation                                     | Туре   | Allowed values                | V/M | Processing rule |
|--|--------|-------------------------------|-----|-----------------|
| Type of substitute recipient (IncomeBeneficiaryType) | xs:int | Codes: IncomeBeneficiaryTy pe | V   |                 |

#### 2.36 Substitute recipient's address (Address)




| Data designation                         | Туре           | Allowed values                     | V/M | Processing rule  |
|--|----------------|------------------------------------|-----|--|
| Substitute recipient's address (Address) | brfirt:Address |                                    | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. Address information under an access restriction to personal data will not be shared. |
| c/o (Co)                                 | irct:String70  |                                    | V   |  |
| c/o denied (CoDenied)                    | xs:int         | Codes: DisputeStatus               | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.  |
| Street address (Street)                  | irct:String100 |                                    | V   |  |
| Street address denied (StreetDenied)     | xs:int         | Codes: DisputeStatus               | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.  |
| P.O. Box (POBox)                         | irct:String10  |                                    | V   |  |
| P.O. Box denied (POBoxDenied)            | xs:int         | Codes: DisputeStatus               | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.  |
| Postal code (PostalCode)                 | irct:String20  |                                    | V   |  |
| Postal code denied<br>(PostalCodeDenied) | xs:int         | Codes: DisputeStatus               | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.  |
| City (PostOffice)                        | irct:String200 |                                    | V   |  |
| City denied (PostOfficeDenied)           | xs:int         | Codes: DisputeStatus               | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons.  |
| Country code (CountryCode)               | irct:String2   | A two-character code in accordance | V   |  |




| Data designation                           | Туре          | Allowed values   | V/M | Processing rule   |
|--|---------------|--|-----|---|
|  |               | with the ISO 3166 country codes. If the country is unknown, the value "99" is entered. |     |   |
| Country code denied<br>(CountryCodeDenied) | xs:int        | Codes: DisputeStatus   | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |
| Country name (CountryName)                 | irct:String70 |  | V   |   |
| Country name denied (CountryNameDenied)    | xs:int        | Codes: DisputeStatus   | V   | The information is never distributed, as the data subject cannot deny the information in question. The information is included in the image solely for technical reasons. |

# 2.37 Period of calculation (RemittancePeriod)



| Data designation                         | Туре                        | Allowed values | V/M | Processing rule   |
|--|-----------------------------|----------------|-----|---|
| Period of calculation (RemittancePeriod) | brfirt:RemittancePe<br>riod |                | V   | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted in the report, and are included in the data access profile used to query the record. |
| Start date (StartDate)                   | xs:date                     |                | V   |   |
| End date (EndDate)                       | xs:date                     |                | V   |   |

# 2.38 Report's missing information (MissingData)



| Data designation                               | Туре               | Allowed values       | V/<br>M | Processing rule  |
|--|--------------------|----------------------|---------|--|
| Report's missing information (MissingData)     | brfirt:MissingData |                      | V       | Data groups or data items belonging to this data group and marked as voluntary are returned if they were submitted as missing in the report, and are included in the data access profile used to query the record. |
| Missing information by data group (DataGroups) | brfirt:DataGroups  |                      | M       |  |
| International situations (InternationalData)   | xs:int             | Codes: DisputeStatus | V       |  |
| Income type details (Transaction)              | xs:int             | Codes: DisputeStatus | V       |  |
| Deduction details (Deduction)                  | xs:int             | Codes: DisputeStatus | V       |  |